

ATTACHMENT TO INTERVIEW OF APRIL 03, 2009 SER NO 10/583,587

Attorney Michael E. Gzybowski, Reg No. 32,816, promptly received a communication from his client overseas for the approval of the proposed Examiner's Amendment.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HERBERT J. LILLING whose telephone number is 571-272-0918. The examiner can normally be reached on WORK AT HOME MAXIFLEX.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JON WEBER can be reached on 571-272-0925. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

H.J.Lilling: HJL
(571) 272-0918

Art Unit **1657**
April 03, 2009

/HERBERT J LILLING/
Primary Examiner Art Unit 1657

EXAMINER'S AMENDMENT

An examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the Issue Fee.

EXAMINER'S AMENDMENT:

Claims 2 and 7 have been cancelled.

In Claim 1, line 11, **insert after** "interchangeable" and **before the** "." the following:

----- ; wherein a coagulating agent is added in the step c) and wherein the coagulating agent comprises at least one of sodium polyacrylate, modified starch or polyamine -----.

In Claim 13, line 1, **change** "7" to --- 1 -----.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Michael E. Gzybowski, Reg No. 32,816 on April 3, 2009.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HERBERT J. LILLING whose telephone number is 571-272-0918. The examiner can normally be reached on WORK AT HOME MAXIFLEX.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JON WEBER can be reached on 571-272-0925. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

H.J.Lilling: HJL
(571) 272-0918
Art Unit **1657**
April 03, 2009

/HERBERT J LILLING/
Primary Examiner, Art Unit 1657

Application/Control Number: 10/583,587
Art Unit: 1657

Page 4